

DECLARATION OF PERFORMANCE

DoP-no. 534/CPR/2020-11-25

| 1. Unique identification code of the product type: |
|---|
| Doors |
| 2. Identification of the construction product: |
| NATION IC 48 |
| 3. Intended use of the construction product: |
| Domestic and commercial locations |
| 4. Name and contact address of the manufacturer: |
| IdealCombi A/S, |
| Noerre Allé 51, 7760 Hurup Thy |
| Denmark |
| Phone no. +45 96 88 25 00 |
| Fax no. +45 97 95 14 09 |
| E-mail: info@idealcombi.dk |
| 5. Name and contact address of authorised representative: |
| n/a |
| 6. Systems of assessment and verification of constancy of performance of the construction product (AVCP): |
| System 3 |
| 7. Harmonised standard and notified body/bodies: |
| EN 14351-1:2006 + A2:2016 |

Windows and doors – Product standard, performance characteristics - Part 1: Windows and external pedestrian doorsets

DoP 534/CPR/2020-11-25 Page 1 of 2

| Danish Technological Institute, NB-no. 1235 | Danish | Techno | logical | Institute. | NB-no. | 1235 |
|---|--------|--------|---------|------------|--------|------|
|---|--------|--------|---------|------------|--------|------|

has performed

Calculation of thermal transmittance

according to system

System 3, type calculation

and issued:

Test report no. 0108/678305 – calculation of thermal transmittance

8. Declared performance

| Essential characteristics | Performance | Harmonised technical specification |
|-------------------------------------|--|------------------------------------|
| Resistance to wind load | npd | · |
| Watertightness - Non-shielded(A) | npd | |
| Height: | npd | |
| Dangerous substances | None | |
| Load-bearing capacity of safety | - | |
| devices | | |
| Acoustic performance | npd | 5N 4 4054 4 0007 40 0047 |
| Thermal transmittance | Inward opening door with 1 no. std. glazing $U_D = 0.88 \text{ W/m}^2\text{K} (1230\text{x}2180 \text{ mm})$ | EN 14351-1:2006 + A2:2016 |
| Radiation properties – Solar factor | g = 0,62 | |
| Radiation properties – Light | $\tau_{v} = 0.75$ | |
| transmittance | | |
| Impact resistance | npd | |
| Air permeability | npd | |

9. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 8.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

| | Technical Director Mikael Søgaard |
|-------------------|-----------------------------------|
| Hurup, 2020-11-25 | |
| | |